

STANDARD OPERATING PROCEDURE # AES 2.008

Subject: Interior Finish Standards

Purpose and Scope: To standardize interior carpet, rubber base and paint finishes for ease of maintenance and replacement.

Policy: Renovations that include carpet, rubber base or paint finishes will follow the standard finishes outlined in this policy. Executive areas and conference rooms may vary, but must be reviewed and approved by the Director of Architectural and Engineering Services prior to presenting to the end user.

Procedures:

1. The AES Project Manager will select 2 or 3 choices from the standard colors identified herein to be presented to the end users. All other finishes (equipment, furnishings, etc.) must be coordinated with final selection for a complete interior finish package.
2. Standard Carpet is Lees Faculty IV for all classrooms, office and public spaces. Selections for executive areas will be reviewed on a case-by-case. Standard color combinations for carpet and base are:
 - a. Lees Faculty IV, 4057 Bali with Roppe P139 Deep Navy base.
 - b. Lees Faculty IV, 4127 Blue Note with Roppe P139 Deep Navy base.
 - c. Lees Faculty IV, 4267 Aruba Blue with Roppe P139 Deep Navy base or P190 Garnet base.
 - d. Lees Faculty IV, 4135 Paradise with Roppe, P190 Garnet base.
 - e. Lees Faculty IV, 4285 Vineyard with Roppe, P169 Hunter Green base or P190 Garnet base or P139 Deep Navy base.
3. ICI Paints is the campus standard. Standard paint selections are as follows:
 - a. ICI Leaf 2005, #302 – French White
 - b. ICI Leaf 489, #181 – Unicorn White
 - c. ICI Leaf 1168, #158 – Shaded Ice
 - d. ICI Leaf 104, #1057 - Silver Maple
 - e. ICI Leaf 68, #1518 - Quiet Blue
 - f. ICI Leaf 39, #566 - Eggnog

Developed by:

Director
A&E Services

Approved by:

Dr. James Barnett,
Associate Vice President
Facilities Services